


## AMENDMENTS TO THE CLAIMS



1. (Original) A fungicidal mixture comprising, as active components,

- (1) the triazolopyrimidine derivative of the formula I



and

- (2) dinocap of the formula II consisting of the dinitrophenol derivatives of the formulae  
IIa and IIb



where  $n$  is 0, 1 or 2,

in a synergistically effective amount.

2. (Currently amended) A fungicidal mixture according to claim 1 comprising the compound of the formula I and the mixed product II in a weight ratio of from 100:1 to 1:100.
3. (Currently amended) A fungicidal composition comprising a liquid or solid carrier and a mixture as claimed in claim 1 ~~or 2~~.
4. (Currently amended) A method for controlling harmful fungi from the class of the *Oomycetes*, which comprises treating the fungi, their habitat or the seed, the soil or the plants to be protected against fungal attack with an effective amount of ~~the~~ a mixture of compound I and dinocap II as set forth in claim 1.
5. (Currently amended) A method according to claim 4, wherein the compounds I and IIa and IIb ~~as set forth in claim 1~~ are applied simultaneously, that is jointly or separately, or in succession.
6. (Currently amended) A method according to claim 4, wherein the mixture ~~as claimed in claim 1 or 2~~ is applied to the soil or the plants to be protected against fungal attack in an amount of from 5 g/ha to 4000 g/ha.
7. (Currently amended) A method according to claim 4 ~~or 5~~, wherein the mixture ~~as claimed in claim 1 or 2~~ is applied in an amount of from 1 to 1000 g/100 kg of seed.

8. (Currently amended) A method according to ~~any of claims 4 to 7~~ claim 4, wherein the harmful fungus *Plasmopara viticola* is controlled.
9. (Currently amended) Seed comprising the mixture as claimed in claim 1 ~~or 2~~ in an amount of from 1 to 1000 g/100 kg.
10. (Original) The use of the compound I and the mixed product II as set forth in claim 1 for preparing a composition suitable for controlling *Oomycetes*.
11. (New) A fungicidal mixture according to claim 6 comprising the compound of the formula I and the mixed product II in a weight ratio of from 100:1 to 1:100.
12. (New) A fungicidal mixture according to claim 7 comprising the compound of the formula I and the mixed product II in a weight ratio of from 100:1 to 1:100.
13. (New) A fungicidal composition comprising a liquid or solid carrier and a mixture as claimed in claim 2.
14. (New) A method according to claim 5, wherein the mixture is applied in an amount of from 1 to 1000 g/100 kg of seed.

15. (New) A method according to claim 5, wherein the harmful fungus *Plasmopara viticola* is controlled.
16. (New) A method according to claim 6, wherein the harmful fungus *Plasmopara viticola* is controlled.
17. (New) A method according to claim 7, wherein the harmful fungus *Plasmopara viticola* is controlled.
18. (New) Seed comprising the mixture as claimed in claim 2 in an amount of from 1 to 1000 g/100 kg.